POWERLINK EP Perkins Series Diesel Generator with Leroy Somer Alternator



Model:WPS600S-AUFrequency:50HzFuel type:DieselPowered by:PERKINS SERIES

415/240V-50Hz-3Phase

- Powerful heavy-duty Perkins industrial diesel
 and low emissions engine
- Intelligent control Manual & Remote start
- Weather protective and sound attenuated enclosure
- · Comprehensive warranty and service

TECHNICAL SPECIFICATIONS

WPS600S-AU				
kVA/kw	650/520	650/520		
kVA/kw	591/473	591/473		
V	415/240	415/240		
Litre/hour	Fuel consumption10	Fuel consumption 100% (of the Prime Power)		
	Fuel consumption7	Fuel consumption75% (of the Prime Power)SFuel consumption50% (of the Prime Power)Fuel consumption25% (of the Prime Power)		
	Fuel consumption5			
	Fuel consumption2			
Litre	945	945		
dB(A)@7m	77.5	77.5		
Length	Width	Height	Weight	
4692 mm	1700 mm	2488 mm	6653 kg	
	kVA/kw kVA/kw V Litre/hour Litre but ktre dB(A)@7m Length	kVA/kw 650/520 kVA/kw 591/473 V 415/240 Litre/hour Fuel consumption10 - Fuel consumption10 - Fuel consumption2 Litre 945 dB(A)@7m 77.5 Length Width	kVA/kw 650/520 kVA/kw 591/473 V 415/240 Litre/hour Fuel consumption100% (of the Prime Power) Fuel consumption75% (of the Prime Power) Fuel consumption50% (of the Prime Power) Fuel consumption25% (of the Prime Power) Litre 945 dB(A)@7m 77.5 Length Width	

ENGINE SPECIFICATIONS

Manufacturer	Perkins	
Model	2806C-E18TAG1A	
Engine Speed Rated	1500 RPM	
Cylinder /Arrangement	6	
Displacement	18.13 L	
Bore and Stroke	145 mm × 183 mm	
Compression Ratio	14.5	
Intake Resistance	≦6.35kPa	
Governor Type	Turbocharged, Air-to-air charge cooled	
Total Oil Capacity w/Filters	62L	
Coolant Capacity	61L	



ALTERNATOR SPECIFICATIONS

Manufacturer	Leroy Somer LSA47.2L9
Phase	3
Power Factor	0.8
Bearing	1
Exciter type	Brushless
Insulation : Class, temperature rise	Н
Degree of protection	IP23
AVR model	R250
Altitude	≤1000m
Winding Pitch	2/3
Overspeed	2250rpm



AIR SYSTEM Engine Air Flow

1m³/s(50Hz)

Note: All data sheets are for reference only and subject to change without prior notice.

CONTROL PANEL

	ComAp InteliLite 4 AMF9
--	-------------------------

KEY FEATURES

- Easy configuration with InteliConfig
- Remote monitoring
- Cybersecurity by design
- Easy troubleshooting
- Built-in PLC logic
- Flexible platform
- Stand-by and prime power application control
- Zero power mode
- Secure user management





MELBOURNE | SYDNEY | BRISBANE

www.macfarlanegenerators.com.au | info@macgen.com SALES | SERVICE | SPARES | HIRE | NEW | USED

POWER ANYWHERE ANYTIME